SAN GABRIEL VALLEY WATER COMPANY -ANNUAL WATER QUALITY REPORT-YEAR 2010-

This report contains important information about your drinking water.

Este informe contiene información muy importante sobre su agua potable.

Tradúzcalo o hable con alguien que lo entienda bien.

此份有关你的食水报告,内有重要资料和讯息,请找他人为你翻译及解释清楚。

The source of water provided to San Gabriel Valley Water Company's customers, except those located in the Whittier/Santa Fe Springs area, is groundwater produced from the Main San Gabriel Basin. The source of water provided to customers in the Whittier/Santa Fe Springs area south of Beverly Boulevard is a blend of groundwater from the Main San Gabriel Basin and the Central Basin.

All water samples are collected by state-certified employees of the water company or independent engineering firms. Samples are analyzed by state-certified independent laboratories and the results are forwarded to the California Department of Public Health. The following report provides detailed information about the quality of the water delivered to customers. The water supplied by San Gabriel Valley Water Company complies with all state and federal safe drinking water standards and regulations.

DETECTED WATER QUALITY CONSTITUENTS - GROUNDWATER

Microbiological									
Water Quality Constituent	Unito	PHG or (MCLG)	MCI	Highest Percentage of Positive Samples Collected		Sample	Likely Source of Detected Constituent		
Total Coliform Bacteria	Units %	(INICLG)	MCL (a)	0.1%		Year 2010	Likely Source of Detected Constituent Naturally present in the environment		
Total Collotti Dactella	/0	U	(a)			2010	inaturally present in the environment		
Radiochemicals PHG PHG									
Water Quality Constituent	Units	or (MCLG)	MCL	Range	Average	Sample Year	Likely Source of Detected Constituent		
Gross Alpha	pCi/L	(0)	15	ND - 14.2	4.0	2010	Erosion of natural deposits		
Radon	pCi/L	NS	NS	105 - 387	226	1999	Erosion of natural deposits		
Uranium	pCi/L	0.43	20	ND - 9.2	3.9	2006	Erosion of natural deposits		
	Inorganics								
Aluminum	ppb	600	1000	ND - 8.7	2.9	2010	Erosion of natural deposits; residue from some surface water treatment processes		
Arsenic	ppb	0.004	10	ND - 2.8	ND	2010	surface water treatment processes Erosion of natural deposits; runoff from orchards; glass and electronics production		
Barium	ppb	2000	1000	ND - 150	ND	2010	wastes Discharges of oil drilling wastes and from metal refineries; erosion of natural deposits		
Fluoride	ppm	1	2	0.2 - 0.8	0.4	2010	Erosion of natural deposits; discharge from fertilizer and aluminum factories		
Nitrate as NO3	ppm	45	45	4 - 34	17	2010	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits		
NO2 + NO3 as N (b)	ppb	NS	10,000	890 - 7400	3565	2010	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits		
	1			Organi	cs		doposito		
Trichloroethylene	ppb	0.8	5	ND - 0.6	ND	2010	Discharge from metal degreasing sites and other factories		
		Sec	ondary S	tandards (A	esthetic :	Standard	(s)		
Chloride	ppm	NS	500	18 - 130	53	2010	Runoff and leaching from natural deposits		
Color	units	NS	15	<3	<3	2010	Naturally-occurring organic materials		
Hardness (CaCO3)	ppm	NS	NS	140 - 320	236	2010	Runoff and leaching from natural deposits		
OdorThreshold	units	NS	3	1	1	2010	Naturally-occurring organic materials		
Sodium	ppm	NS	NS	12 - 80	32	2010	Runoff and leaching from natural deposits		
Specific Conductance	µmho/cm	NS	1600	410 - 950	614	2010	Substances that form ions when in water		
Sulfate	ppm	NS	500	ND - 140	53	2010	Runoff and leaching from natural deposits; industrial wastes		
Total Dissolved Solids	ppm	NS	1000	260 - 620	394	2010	Runoff and leaching from natural deposits		
Turbidity (c)	units	NS	5	ND - 3 (d)	0.02	2010	Soil runoff		
Additional Constituents (Unregulated)									
Alkalinity (CaCO3)	ppm	NS	NS	150 - 220	190	2010	Unknown		
Calcium	ppm	NS	NS	45 - 100	69	2010	Unknown		
Hexavalent Chromium	ppb	NS	NS	ND - 6	3	2010	Unknown		
Magnesium pH	ppm	NS NS	NS NS	8 - 22 7.5 - 7.9	16 7.7	2010	Unknown		
	units					2010	Unknown		
Potassium	ppm	NS	NS	1.1 - 4.5	3.0	2010	Unknown		

DISINFECTANT/DISINFECTION BY-PRODUCTS

Groundwater

Ci ounavatei								
Water Quality Constituent	Units	PHG (MCLG) [MRDLG]	MCL [MRDL]	Range	Average	Sample Year	Likely Source of Detected Constituent	
Total Trihalomethanes	ppb	NS	80	1.2 - 8.3	3.2	2010	By-product of drinking water chlorination	
Haloacetic Acids	ppb	NS	60	ND - 1.2	ND	2010	By-product of drinking water chlorination	
Disinfection Residual	ppm	[4]	[4]	0.5 - 1.9	1.1	2010	Drinking water disinfectant added for treatment	
Chlorate	nnh	NS	NS	54 - 400	144	2010	By-product of drinking water chlorination	

Pursuant to Title 22 of the California Code of Regulations, Lead and Copper monitoring for the El Monte/Whittier system was completed in 2008 with the next samples to be taken in 2011. Lead and Copper monitoring for the Montebello system was completed in 2010 with the next samples to be taken in 2013.

LEAD AND COPPER MONITORING (EI Monte/Whittier System, 50 SAMPLES TAKEN)

Water Quality Constituent	Units	Action Level	Sample Year	90th Percentile	Number of Samples Exceeding The Action Level	Likely Source of Detected Constituent
Lead	ppb	15	2008	2	0	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper	ppb	1300	2008	420	0	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

LEAD AND COPPER MONITORING (Montebello System, 20 SAMPLES TAKEN)

Water Quality Constituent	Units	Action Level	Sample Year	90th Percentile	Number of Samples Exceeding The Action Level	Likely Source of Detected Constituent
Lead	ppb	15	2010	ND		Internal corrosion of household water plumbing systems; discharge from industrial manufacturers; erosion of natural deposits
Copper	ppb	1300	2010	220		Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY (USEPA) AND CALIFORNIA DEPARTMENT OF PUBLIC HEALTH REQUIRE SAN GABRIEL VALLEY WATER COMPANY TO PROVIDE THE FOLLOWING INFORMATION:

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, and mining.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial
 processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural
 application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. San Gabriel Valley Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Nitrate: Nitrate in drinking water at levels above 45 mg/l is a health risk for infants of less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/l may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

Arsenic: While your drinking water complies with federal and state standard for arsenic, it does contain low levels of arsenic. The arsenic standard balances the current understanding of arsenic's possible health effects against the cost of removing arsenic from drinking water. The USEPA continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects such as skin damage and circulatory problems.

Radon is a radioactive gas that you cannot see, taste, or smell. It is found throughout the U.S. Radon can move up through the ground and into a home through cracks and holes in the foundation. Radon can build up to high levels in all types of homes. Radon can also get into indoor air when released from showering, washing dishes, and other household activities. Compared to radon entering the home through soil, radon entering the home through tap water will in most cases be a small source of radon in indoor air. Radon is a known human carcinogen. Breathing air containing radon can lead to lung cancer. If you are concerned about radon in your home, test the air in your home. Testing is inexpensive and easy. You should pursue radon removal for your home if the level of radon in your air is 4 picocuries per liter of air (pCi/L) or higher. There are simple ways to fix a radon problem that are not too costly. For additional information, call your State radon program (1-800-745-7236), the EPA Safe Drinking Water Hotline (1-800-426-4791), or the National Safety Council Radon Hotline (1-800-SOS-RADON).

In order to ensure that tap water is safe to drink, the USEPA and the California Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The California Department of Public Health regulations also establish limits for contaminants in bottled water that must provide the same protection for public health.

Additional Water Quality Information

San Gabriel Valley Water Company completed groundwater source assessments in 2002 and new assessments were completed in 2005 and 2008 for new sources added to the system. Groundwater sources are considered vulnerable to discharge from industry, factories, landfills, dry cleaners, automobile repair shops, gas stations, high density housing, fleet truck and bus terminals, underground storage tanks, and sewer collection systems. Copies of the groundwater source assessments are available for review at San Gabriel Valley Water Company's main office. All groundwater sources are treated and disinfected before the water is distributed to the customers.

In addition to the constituents listed in this report, San Gabriel Valley Water Company conducted monitoring for over 100 additional constituents and the results show none of those constituents detected in the water. Included in this additional monitoring were constituents for which the California Department of Public Health and USEPA have not yet set standards. The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old. For additional water quality information, contact: Oscar Ramos, Water Quality Superintendent at omramos@sgvwater.com or at (626) 448-6183, or write to San Gabriel Valley Water Company, Post Office Box 6010, El Monte, California 91734-2010.

Definitions and Footnotes:

- MCL = Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.
- MCLG = Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the USEPA.
- MRDL = Maximum Residual Disinfectant Level: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- MRDLG = Maximum Residual Disinfectant Level Goal: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
 - NTU = Nephelometric Turbidity Units
 - PHG = Public Health Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.
- PDWS = Primary Drinking Water Standard: MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.
 - TT = Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water.
- pCi/L = picocuries per Liter
- NS = No Standard
- ND = None Detected
- ppm = parts per million
- ppb = parts per billion
- < = less than
- µmho/cm = micromhos per centimeter
 - (a) = When 40 or more routine samples are collected per month, no more than 5% of the samples may be total coliform positive.
 - (b) = State MCL is 45 mg/L as Nitrate, which equals 10 mg/L as N.
 - (c) = Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of water quality. High turbidity can hinder the effectiveness of disinfectants.
 - (d) = 100% of the turbidity samples taken during 2010 were less than the MCL of 5.0 NTU.

This report is posted on the internet at www.sgvwater.com